

PRE PROCEDURE

1. Medications: Diazepam 5 mg PO x1 on call
 Diphenhydramine 25 mg PO x1 on call
2. Antibiotics: Cefazolin (Ancef) 1gm IV on call to Angio lab
 Clindamycin 600 IV on call to Angio lab
3. _____
4. Diagnostics: PT
 CBC

5. Prep:
 - a. Notify VIR RN to have Interventional Radiologist obtain consent.
 - b. If pre-menopausal female ages 12-57, sign Pregnancy Consent form.
 - c. Void before procedure.
 - d. Clear liquids after midnight until 3 hrs. prior to procedure, then NPO.
6. IVs: 1000cc NS.
Saline lock if patient on dialysis.
 No IV needed.
7. Angio Lab: Versed 1 mg IV PRN anxiety, may repeat x 1
Fentanyl 50mcg IV PRN discomfort, may repeat x 1

POST PROCEDURE

1. Vital signs / O₂ sat Q 30" x 2, then Q1 hr. and PRN until discharge.
2. Diet as tolerated when awake and alert post sedation.
3. Notify radiologist of bleeding at incision site.
4. If vital signs stable, taking fluids, no bleeding or hematoma and pain controlled, discharge 2 hrs. post procedure.
5. An appointment with Interventional Radiologist should be made 2-3 days post-op.
6. Give Implantation of Venous Access Device Discharge Instructions.
(Notify VIR nurse 206-645-1431 if patient has questions.)
7. Send copies of Angio Lab and MAR to MD's Office
immediately for all patients going to chemotherapy.

Physician Signature

Date

Time



VENOUS ACCESS DEVICE / INSERTION
Vascular & Interventional Radiology
P0020 (8/05)
White – Chart Yellow – Pharmacy